

1/45




FIG. 1




FIG. 2

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

3/45




FIG. 4




FIG. 3




FIG. 5




FIG. 6

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

4/45




FIG. 7A

APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SURPLACES

5/45




FIG. 7B

THIS DRAWING IS A REPRODUCTION OF A PHOTOGRAPH OF A
 DRAWING MADE BY HAND BY THE INVENTOR, AND IS NOT
 A REPRODUCTION OF A PHOTOGRAPH OF A DRAWING MADE
 BY A DRAFTSMAN.

APPROVED	O.G. FIG.
BY	CLASS
CRAFTSMAN	SUBCLASS

6/45




FIG. 7C

THIS DRAWING IS A REPRODUCTION OF THE ORIGINAL DRAWING AND IS NOT A COPY OF THE ORIGINAL DRAWING.

APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

7/45




FIG. 7D

APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

8/45




FIG. 8

FIG. 8 is a perspective view of the assembly 60 showing the housing 66, the top cover 64, the side panel 62, the central component 50, the lever 72, the base 74, the frame 70, the spring 12, the base 78, the vertical bars 80, the component 76, and the component 82.

9/45




FIG. 9

FIG. 9 is an exploded perspective view of the assembly shown in FIG. 8, showing the relationship between the various components of the assembly.

APPROVED	O.G. FIG.
BY	CLASS
CRAFTSMAN	SUBCLASS

10/45




FIG. 10




FIG. 11

APPROVED	O.G. FIG.
BY	CLASS
CRAFTSMAN	SUBCLASS




FIG. 12

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

12/45



**FIG. 13**

FIG. 14

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

13/45




FIG. 15A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

14/45




FIG. 15B

15/45





FIG. 15C

16/45



WAVELENGTH (nm)

FIG. 15D

17/45




FIG. 16

APPROVED	00	FIG.
BY	CLASS	
DRAFTSMAN	SUBCLASS	

18/45




FIG. 17

19/45




FIG. 18

20/45




FIG. 19

21/45




FIG. 20

22/45




FIG. 21




FIG. 22

23/45






FIG. 23

24/45



25/45




FIG. 25

26/45




FIG. 26




FIG. 27

FIG. 28A

FIG. 28B

FIG. 28C

FIG. 28C




FIG. 29

APPROVED	OG. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

29/45




FIG. 30

30/45






FIG. 31

APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

31/45






FIG. 33

33/45






FIG. 34

34/45








FIG. 36

APPROVED	O.C. FIG.
BY	
DRAFTSMAN	
CLASS	SUBCLASS

36/45



37/45




FIG. 38

APPROVED	0.0. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

38/45




FIG. 39

39/45

Value of Standard				
Site	Sample Type	FAM	TET	TAM
A1	STD	1000	100	10
A2	STD	100	1000	0
A3	STD	0	0	1000
A4	STD	10	10	100
A5	STD	100	10	1000
A6	STD	1000	0	100
A7	STD	0	1000	0
A8	STD	10	100	10

FIG. 40

Threshold Values:				
Site	Type	FAM	TET	TAM
A1	STD	27.2	28.1	29.1
A2	STD	29.9	25.1	0
A3	STD	0	0	22.8
A4	STD	32.4	30.8	25.8
A5	STD	30.1	31.2	23.2
A6	STD	27.8	0	26.2
A7	STD	0	24.9	0
A8	STD	32.6	27.9	28.9

FIG. 41

From the above data, the averages are obtained for each dye at each starting quantity

COPIES	FAM	TET	TAM
10	32.5	31	29
100	30	28	26
1000	27.5	25	23

FIG. 42

40/45




FIG. 43

Dye:	Threshold Value	Determined Quantity
FAM	29	251
TET	29	46
TAM	24	464

FIG. 44

APPROVED
BY
CLASSIFIED
CONFIDENTIAL

41/45

Site	Type	Value of Standard		
		FAM	TET	TAM
A1	STD	1000	100	N/A
A2	STD	100	1000	N/A
A3	STD	0	0	N/A
A4	STD	10	10	N/A
A5	STD	100	10	N/A
A6	STD	1000	0	N/A
A7	STD	0	1000	N/A
A8	STD	10	100	N/A

FIG. 45

Site	Type	Threshold Values:		
		FAM	TET	TAM
A1	STD	27.2	28.1	29.1
A2	STD	29.9	25.1	29.3
A3	STD	0	0	29.2
A4	STD	32.4	30.8	28.8
A5	STD	30.1	31.2	28.7
A6	STD	27.8	0	29.0
A7	STD	0	24.9	29.1
A8	STD	32.6	27.9	29.3

FIG. 46

42/45

The threshold values for each standard are normalized to the QIC by dividing them by the threshold value of the QIC.

Normalized Threshold Values:				
Site	Sample Type	FAM	TET	TAM
A1	STD	0.934708	0.965636	29.1
A2	STD	1.020478	0.856655	29.3
A3	STD	0	0	29.2
A4	STD	1.125	1.069444	28.8
A5	STD	1.04878	1.087108	28.7
A6	STD	0.958621	0	29.0
A7	STD	0	0.85567	29.1
A8	STD	1.112628	0.952218	29.3

FIG. 47

START COPY	FAM	TET
10	1.118814	1.078276
100	1.034629	0.958927
1000	0.946664	0.856163

FIG. 48

43/45




FIG. 49

Dye:	Threshold	QIC	Ratio	Computed Concentration
FAM	29	28.8	1.006944	210
TET	30	28.8	1.041667	21

FIG. 50

APPROVED	O.G. 712
BY	CLASS
DRAFTSMAN	SUPV. CLASS

44/45

Site	Sample Type	FAM	Value of Standard	
			TET	TAM
A1	Unknown w ISTD	N/A	100	1000
A2	Unknown w ISTD	N/A	100	1000
A3	Unknown w ISTD	N/A	100	1000
A4	Unknown w ISTD	N/A	100	1000
A5	Unknown w ISTD	N/A	100	1000
A6	Unknown w ISTD	N/A	100	1000
A7	Unknown w ISTD	N/A	100	1000
A8	Unknown w ISTD	N/A	100	1000

FIG. 51

Threshold Values:				
Site	Sample Type	FAM	TET	TAM
A1	Unknown w ISTD	27.2	30.0	27.0
A2	Unknown w ISTD	29.9	30.2	27.1
A3	Unknown w ISTD	0	30.5	27.4
A4	Unknown w ISTD	32.4	29.8	26.8
A5	Unknown w ISTD	30.1	29.9	26.8
A6	Unknown w ISTD	27.8	29.5	26.5
A7	Unknown w ISTD	0	29.7	26.6
A8	Unknown w ISTD	32.6	30.0	27.1

FIG. 52

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

45/45

Start Qty	Threshold	Log Start Qty
100	30.2	2
1000	27.1	3

FIG. 53




FIG. 54